



Programming with C I

Fangtian Zhong
CSCI 112

2025.02.24

Gianforte School of Computing
Norm Asbjornson College of Engineering
E-mail: fangtian.zhong@montana.edu

Linear Search Example Using While

```
// Example: Search array using while
int scores[MAX_SCORES];
int scoresCount, scoreNdx, targetScore;

// Assume array has been loaded,
// count = scoreCount, and search value = targetScore
scoreNdx = 0;
while (scoreNdx < scoreCount && scores[scoreNdx] != targetScore)
    scoreNdx++;
if (ScoreNdx >= scoreCount) {
    // Whatever you want to do if not found
}
else {
    // Whatever you want yo do if found
}
```



Linear Search Example Using For



```
// Example: Search array using for
int scores[MAX_SCORES];
int scoresCount, scoreNdx, targetScore;

// Assume array has been loaded,
// count = scoreCount, and search value = targetScore
for (scoreNdx=0;
     scoreNdx<scoreCount && scores[scoreNdx]!=targetScore;
     scoreNdx++) /* null */;
// Note: Above for statement has empty basic block by design
if (scoreNdx>=scoreCount) {
    // Whatever you want to do if not found
}
else {
    // Whatever you want to do if found
}
```



Sorting


Place array into some order

- Ascending or descending

Many types

- Simple: Selection

- More intelligent: Bubble, selection, insertion, shell, comb, merge, heap, quick, counting, bucket, radix, distribution, timsort, gnome, cocktail, library, cycle, binary tree, bogo, pigeonhole, spread, bead, pancake, ...



Selection Sort

🥇 for each value of **fill** from 0 to n-2

- Find **index_of_min**, the index of the smallest element in the unsorted subarray **list[fill]** through **list[n-1]**
- if **fill** is not the position of the smallest element (**index_of_min**)
 - Exchange the smallest element with the one at position **fill**.

Figure Trace of Selection Sort

[0]	[1]	[2]	[3]
74	45	83	16

[0]	[1]	[2]	[3]
16	45	83	74

[0]	[1]	[2]	[3]
16	45	83	74


[0]	[1]	[2]	[3]
16	45	74	83

- fill is **0**. Find smallest element in subarray **list[1]** through **list[3]** and swap it with **list[0]**.
- fill is **1**. Find the smallest element in subarray **list[1]** through **list[3]** - no exchange needed.
- fill is **2**. Find the smallest element in subarray **list[2]** through **list[3]** and swap it with **list [2]**.

Brute Force Sort




Compare element to all elements below and then move to next element, swap when appropriate



```
void sort_values(int values[ ], int count) {  
    // Sort values in ascending order  
    // using selection sort  
    int sub1, sub2, temp;  
  
    for (sub1=0; sub1<count-1; sub1++)  
        for (sub2=sub1+1; sub2<count; sub2++)  
            if (values[sub1]>values[sub2]) {  
                temp = values[sub1]; //swap  
                values[sub1] = values[sub2];  
                values[sub2] = temp;  
            }  
}
```


Bubble/Sinking Sort

- Compare adjacent elements, swap when appropriate
- Stop if no swaps on a pass



```
void sort_values(int values[ ], int count) {
    // Sort values in ascending order
    // using selection sort
    int sub1, sub2, temp, sorted = 0;

    for (sub1=0; !sorted && sub1<count-1; sub1++) {
        sorted = 1;      // Assume sorted on each pass
        for (sub2=count-2; sub2>=sub1; sub2--)
            if (values[sub2]>values[sub2+1]) {
                temp = values[sub2]; //swap
                values[sub2] = values[sub2+1];
                values[sub2+1] = temp;
                sorted = 0;          // Assume unsorted after swap
            }
    }
}
```



THE END

Fangtian Zhong
CSCI 112

2025.02.24

Gianforte School of Computing
Norm Asbjornson College of Engineering
E-mail: fangtian.zhong@montana.edu